Battery report

COMPUTER NAME	HP-PAVILION-AER
SYSTEM PRODUCT NAME	HP HP Pavilion Aero Laptop 13-be0xxx
BIOS	F.16 08/01/2024
OS BUILD	26100.1.amd64fre.ge_release.240331-1435
PLATFORM ROLE	Mobile
CONNECTED STANDBY	Supported
REPORT TIME	2024-12-24 10:19:11

Installed batteries

Information about each currently installed battery

	BATTERY 1
NAME	PC03043XL
MANUFACTURER	333-AC-3C-A
SERIAL NUMBER	3603
CHEMISTRY	LION
DESIGN CAPACITY	32 155 mWh
FULL CHARGE CAPACITY	32 155 mWh
CYCLE COUNT	757

Recent usage

Power states over the last 7 days

START TIME		STATE	SOURCE	CAPACITY REMAINING	
2024-12-17	10:29:46	Active	Battery	41 %	13 571 mWh
	11:03:23	Active	AC	25 %	8 224 mWh
	12:06:53	Connected standby	AC	92 %	30 007 mWh
	12:06:53	Suspended		92 %	30 007 mWh
	15:01:12	Active	Battery	82 %	26 796 mWh
	16:42:43	Active	AC	25 %	8 304 mWh
	17:15:01	Connected standby	AC	64 %	21 113 mWh
	17:55:17	Suspended		62 %	20 363 mWh
	17:55:53	Connected standby	Battery	62 %	20 178 mWh
	17:56:28	Active	Battery	61 %	20 016 mWh
	18:00:46	Connected standby	Battery	58 %	19 150 mWh
	18:00:46	Suspended		58 %	19 150 mWh
2024-12-18	05:22:21	Active	AC	42 %	13 872 mWh
	05:38:51	Suspended		61 %	20 109 mWh
	05:40:00	Active	AC	63 %	20 513 mWh
	05:57:48	Active	Battery	81 %	26 623 mWh
	06:22:14	Connected standby	Battery	70 %	22 823 mWh
	07:15:35	Suspended		67 %	21 783 mWh
	07:16:11	Connected standby	Battery	66 %	21 633 mWh
	07:16:46	Active	Battery	66 %	21 552 mWh
	08:30:09	Active	AC	25 %	8 304 mWh
	09:04:57	Connected standby	AC	67 %	22 095 mWh
	09:04:57	Suspended		67 %	22 095 mWh
	12:22:08	Connected standby	Battery	57 %	18 642 mWh
	12:22:44	Active	Battery	57 %	18 549 mWh
	13:34:42	Active	AC	25 %	8 316 mWh
	14:21:59	Active	Battery	81 %	26 380 mWh
	14:33:59	Connected standby	Battery	75 %	24 532 mWh
	14:33:59	Suspended		75 %	24 532 mWh
	15:19:52	Connected standby	Battery	72 %	23 539 mWh
	15:20:27	Active	Battery	72 %	23 458 mWh
	15:20:28	Connected standby	Battery	72 %	23 458 mWh
	15:26:05	Active	Battery	70 %	22 973 mWh
	17:05:33	Active	AC	29 %	9 621 mWh
	17:29:46	Active	Battery	59 %	19 346 mWh
	17:29:48	Connected standby	Battery	59 %	19 346 mWh
	17:29:48	Suspended		59 %	19 346 mWh
	18:25:19	Active	Battery	55 %	17 960 mWh
	18:35:01	Connected standby	Battery	50 %	16 389 mWh
	22:16:42	Suspended		36 %	11 931 mWh
	22:17:18	Connected standby	Battery	36 %	11 793 mWh
	22:17:53	Active	Battery	36 %	11 666 mWh
	22:42:16	Connected standby	Battery	25 %	8 050 mWh
	22:42:16	Suspended		25 %	8 050 mWh
2024-12-19	05:34:41	Connected standby	AC	32 %	10 476 mWh
	05:35:17	Active	AC	33 %	10 718 mWh
	06:22:21	Active	Battery	85 %	27 766 mWh
	08:11:23	Active	AC	20 %	6 676 mWh
	08:15:42	Connected standby	AC	26 %	8 501 mWh
	08:15:42	Suspended		26 %	8 501 mWh
	08:49:09	Active	Battery	23 %	7 404 mWh
	08:53:00	Active	AC	20 %	6 687 mWh
	09:46:53	Active	Battery	84 %	27 535 mWh
	11:55:45	Connected standby	Battery	59 %	19 312 mWh
	11:55:47	Suspended		59 %	19 323 mWh
	11:56:22	Connected standby	Battery	60 %	19 531 mWh
	11:56:58	Connected standby	AC	60 %	19 751 mWh
	11:56:58	Active	AC	60 %	19 751 mWh
	12:17:53	Active	Battery	83 %	27 096 mWh
	13:56:52	Active	AC	31 %	10 095 mWh
	15:20:11	Active	Battery	100 %	32 756 mWh
	15:33:25	Connected standby	Battery	93 %	30 457 mWh
	18:00:40	Suspended		83 %	27 339 mWh
	18:01:16	Connected standby	Battery	83 %	27 200 mWh
	18:01:51	Active	Battery	83 %	27 027 mWh
	19:38:08	Connected standby	Battery	31 %	10 210 mWh
2024-12-20	05:26:32	Suspended		41 %	13 410 mWh
	05:27:07	Connected standby	Battery	42 %	13 606 mWh
	05:27:42	Connected standby	AC	42 %	13 918 mWh
	05:27:42	Active	AC	42 %	13 918 mWh
	05:27:43	Connected standby	AC	42 %	13 918 mWh
	05:29:40	Active	AC	45 %	14 761 mWh
	05:45:01	Connected standby	AC	63 %	20 490 mWh
	05:45:01	Suspended		63 %	20 490 mWh
	06:31:13	Connected standby	AC	61 %	19 912 mWh
	06:31:49	Active	AC	61 %	20 143 mWh
	07:36:03	Active	Battery	100 %	33 241 mWh
	10:04:49	Active	AC	19 %	6 364 mWh
	11:13:25	Active	Battery	93 %	30 896 mWh
	13:10:46	Active	AC	29 %	9 748 mWh
	14:08:04	Active	Battery	92 %	30 423 mWh
	15:15:08	Connected standby	Battery	60 %	20 016 mWh
	16:34:31	Active	Battery	43 %	14 230 mWh
	16:34:49	Active	AC	43 %	14 160 mWh
	17:22:28	Active	Battery	91 %	30 377 mWh
	17:32:56	Connected standby	Battery	85 %	28 413 mWh
	17:35:52	Active	Battery	84 %	27 974 mWh
	18:20:00	Connected standby	Battery	56 %	18 619 mWh
	18:57:59	Suspended		54 %	17 926 mWh
	18:58:47	Connected standby	AC	55 %	18 214 mWh
	18:59:22	Active	AC	55 %	18 422 mWh
	19:08:33	Connected standby	AC	66 %	21 876 mWh
	20:25:02	Suspended		61 %	20 374 mWh
	20:25:48	Connected standby	Battery	61 %	20 166 mWh
	20:26:23	Active	Battery	60 %	20 074 mWh
	20:26:24	Connected standby	Battery	60 %	20 074 mWh
	20:26:24	Active	Battery	60 %	20 074 mWh
	20:34:19	Connected standby	Battery	56 %	18 711 mWh
2024-12-21	05:30:32	Suspended		46 %	15 165 mWh
	05:31:24	Connected standby	AC	47 %	15 535 mWh
	05:31:59	Active	AC	47 %	15 777 mWh
	06:11:54	Active	Battery	88 %	29 406 mWh
	06:12:03	Connected standby	Battery	88 %	29 372 mWh
	06:12:03	Suspended		88 %	29 372 mWh
	07:20:52	Connected standby	Battery	84 %	27 963 mWh
	07:21:27	Active	Battery	84 %	27 847 mWh
	08:27:50	Connected standby	Battery	54 %	18 099 mWh
	09:59:56	Suspended		49 %	16 378 mWh
	10:00:44	Connected standby	Battery	49 %	16 170 mWh
	10:01:19	Active	Battery	48 %	16 101 mWh
	10:36:01	Active	AC	26 %	8 674 mWh
	11:27:14	Active	Battery	85 %	28 205 mWh
	12:59:24	Connected standby	Battery	44 %	14 611 mWh
	12:59:26	Suspended		44 %	14 588 mWh
	13:00:01	Connected standby	Battery	43 %	14 414 mWh
	13:00:36	Active	Battery	43 %	14 310 mWh
	13:42:57	Connected standby	Battery	26 %	8 616 mWh
	15:35:41	Suspended		19 %	6 456 mWh
	15:36:32	Connected standby	Battery	19 %	6 422 mWh
	15:37:07	Active	Battery	20 %	6 676 mWh
	15:37:08	Active	AC	20 %	6 676 mWh
	15:46:24	Suspended		33 %	10 857 mWh
	15:47:51	Active	AC	35 %	11 642 mWh
	15:50:51	Suspended		39 %	13 005 mWh
	15:51:50	Active	AC	40 %	13 421 mWh
	16:10:21	Suspended		63 %	20 802 mWh
	16:12:30	Active	AC	65 %	21 587 mWh
	16:27:36	Active	Battery	81 %	27 073 mWh
	16:35:30	Suspended		78 %	26 080 mWh
	16:36:21	Active	Battery	78 %	25 884 mWh
	16:37:00	Suspended		77 %	25 757 mWh
	16:39:05	Active	Battery	76 %	25 306 mWh
	18:07:10	Suspended		53 %	17 637 mWh
	18:07:45	Connected standby	Battery	53 %	17 510 mWh
	18:08:20	Active	Battery	52 %	17 394 mWh
	18:08:22	Connected standby	Battery	52 %	17 394 mWh
	18:08:29	Active	Battery	52 %	17 371 mWh
	18:14:18	Connected standby	Battery	50 %	16 517 mWh
	18:14:18	Suspended		50 %	16 517 mWh
2024-12-22	05:44:59	Connected standby	AC	37 %	12 405 mWh
	05:45:35	Active	AC	38 %	12 670 mWh
	06:22:16	Active	Battery	80 %	26 634 mWh
	06:38:27	Connected standby	Battery	74 %	24 567 mWh
	07:40:13	Suspended		71 %	23 435 mWh
	07:40:49	Connected standby	Battery	70 %	23 296 mWh
	07:41:24	Active	Battery	70 %	23 192 mWh
	08:34:39	Connected standby	Battery	46 %	15 269 mWh
	13:22:18	Suspended		30 %	10 002 mWh
	13:22:54	Connected standby	Battery	30 %	9 829 mWh
	13:23:29	Active	Battery	30 %	9 945 mWh
	13:23:30	Active	AC	30 %	9 945 mWh
	14:06:25	Active	Battery	80 %	26 669 mWh
	14:38:48	Connected standby	Battery	69 %	23 031 mWh
	16:05:45	Suspended		64 %	21 368 mWh
	16:06:21	Connected standby	Battery	64 %	21 240 mWh
	16:06:56	Active	Battery	64 %	21 113 mWh
	16:08:50	Connected standby	Battery	63 %	20 790 mWh
	16:08:50	Suspended		63 %	20 790 mWh
	16:53:07	Connected standby	Battery	59 %	19 762 mWh
	16:53:42	Active	Battery	59 %	19 647 mWh
	17:07:34	Connected standby	Battery	52 %	17 175 mWh
	17:07:34	Suspended		52 %	17 175 mWh
	19:43:05	Connected standby	Battery	50 %	16 736 mWh
	19:43:40	Connected standby	AC	51 %	16 979 mWh
	19:43:40	Active	AC	51 %	16 979 mWh
	20:10:26	Active	Battery	80 %	26 681 mWh
	20:16:50	Connected standby	Battery	77 %	25 549 mWh
	20:16:50	Suspended		77 %	25 549 mWh
2024-12-23	05:42:00	Connected standby	AC	60 %	19 878 mWh
	05:42:36	Active	AC	60 %	20 085 mWh
	06:01:48	Active	Battery	81 %	26 935 mWh
	06:23:49	Suspended		71 %	23 747 mWh
	06:29:20	Active	Battery	67 %	22 292 mWh
	06:36:19	Connected standby	Battery	63 %	20 906 mWh
	07:20:42	Suspended		60 %	19 970 mWh
	07:21:18	Connected standby	Battery	60 %	19 785 mWh
	07:21:53	Active	Battery	59 %	19 693 mWh
	07:28:56	Suspended		55 %	18 434 mWh
	07:36:54	Active	Battery	49 %	16 320 mWh
	08:50:47	Suspended		17 %	5 810 mWh
	14:12:51	Active	Battery	100 %	31 682 mWh
	14:49:22	Connected standby	Battery	87 %	27 443 mWh
	16:55:17	Suspended		78 %	24 833 mWh
	16:55:53	Connected standby	Battery	78 %	24 671 mWh
	16:56:28	Active	Battery	77 %	24 498 mWh
	17:52:44	Connected standby	Battery	56 %	17 672 mWh
	18:41:48	Suspended		52 %	16 586 mWh
	18:42:24	Connected standby	Battery	52 %	16 436 mWh
	18:42:59	Active	Battery	51 %	16 309 mWh
	19:48:15	Connected standby	Battery	20 %	6 410 mWh
2024-12-24	10:09:07	Suspended		101 %	32 086 mWh
	10:09:17	Connected standby	Battery	100 %	32 086 mWh
	10:09:17	Suspended		100 %	32 086 mWh
	10:09:53	Connected standby	Battery	100 %	32 086 mWh
	10:09:53	Suspended		100 %	32 086 mWh
	10:11:36	Active	Battery	100 %	32 155 mWh
	10:13:38	Connected standby	Battery	100 %	32 155 mWh
	10:15:01	Active	Battery	100 %	32 155 mWh
	10:19:08	Report generated	Battery	100 %	32 155 mWh

Battery usage

Battery drains over the last 7 days



START TIME		STATE	DURATION	ENERGY DRAINED	
2024-12-17	10:29:46	Active	0:33:36	16 %	5 347 mWh
	15:01:12	Active	1:41:31	56 %	18 492 mWh
	17:55:53	Connected standby	0:00:35	-	162 mWh
	17:56:28	Active	0:04:17	3 %	866 mWh
	18:00:46	Connected standby	0:00:00	-	-
	05:57:48	Active	0:24:25	12 %	3 800 mWh
	06:22:14	Connected standby	0:53:21	3 %	1 040 mWh
	07:16:11	Connected standby	0:00:35	-	81 mWh
	07:16:46	Active	1:13:22	40 %	13 248 mWh
	12:22:08	Connected standby	0:00:35	-	93 mWh
	12:22:44	Active	1:11:57	31 %	10 233 mWh
	14:21:59	Active	0:11:59	6 %	1 848 mWh
	14:33:59	Connected standby	0:00:00	-	-
	15:19:52	Connected standby	0:00:35	-	81 mWh
	15:20:27	Active	0:00:01	-	-
	15:20:28	Connected standby	0:05:36	1 %	485 mWh
	15:26:05	Active	1:39:27	41 %	13 352 mWh
	17:29:46	Active	0:00:01	-	-
	17:29:48	Connected standby	0:00:00	-	-
	18:25:19	Active	0:09:42	5 %	1 571 mWh
	18:35:01	Connected standby	3:41:40	14 %	4 458 mWh
	22:17:18	Connected standby	0:00:35	-	127 mWh
	22:17:53	Active	0:24:22	11 %	3 616 mWh
	22:42:16	Connected standby	0:00:00	-	-
	06:22:21	Active	1:49:02	64 %	21 090 mWh
	08:49:09	Active	0:03:51	2 %	717 mWh
	09:46:53	Active	2:08:52	25 %	8 223 mWh
	11:55:45	Connected standby	0:00:02	-	-11 mWh
	11:56:22	Connected standby	0:00:35	-	-220 mWh
	12:17:53	Active	1:38:58	52 %	17 001 mWh
	15:20:11	Active	0:13:13	7 %	2 299 mWh
	15:33:25	Connected standby	2:27:15	10 %	3 118 mWh
	18:01:16	Connected standby	0:00:35	1 %	173 mWh
	18:01:51	Active	1:36:16	51 %	16 817 mWh
	19:38:08	Connected standby	9:48:24	-	-3 200 mWh
	05:27:07	Connected standby	0:00:35	-	-312 mWh
	07:36:03	Active	2:28:45	81 %	26 877 mWh
	11:13:25	Active	1:57:20	64 %	21 148 mWh
	14:08:04	Active	1:07:03	31 %	10 407 mWh
	15:15:08	Connected standby	1:19:23	17 %	5 786 mWh
	16:34:31	Active	0:00:18	-	70 mWh
	17:22:28	Active	0:10:28	6 %	1 964 mWh
	17:32:56	Connected standby	0:02:55	1 %	439 mWh
	17:35:52	Active	0:44:08	28 %	9 355 mWh
	18:20:00	Connected standby	0:37:58	2 %	693 mWh
	20:25:48	Connected standby	0:00:35	-	92 mWh
	20:26:23	Active	0:00:01	-	-
	20:26:24	Connected standby	0:00:00	-	-
	20:26:24	Active	0:07:55	4 %	1 363 mWh
	20:34:19	Connected standby	8:56:13	11 %	3 546 mWh
	06:11:54	Active	0:00:08	-	34 mWh
	06:12:03	Connected standby	0:00:00	-	-
	07:20:52	Connected standby	0:00:35	-	116 mWh
	07:21:27	Active	1:06:23	29 %	9 748 mWh
	08:27:50	Connected standby	1:32:06	5 %	1 721 mWh
	10:00:44	Connected standby	0:00:35	-	69 mWh
	10:01:19	Active	0:34:41	22 %	7 427 mWh
	11:27:14	Active	1:32:10	41 %	13 594 mWh
	12:59:24	Connected standby	0:00:02	-	23 mWh
	13:00:01	Connected standby	0:00:35	-	104 mWh
	13:00:36	Active	0:42:20	17 %	5 694 mWh
	13:42:57	Connected standby	1:52:44	6 %	2 160 mWh
	15:36:32	Connected standby	0:00:35	-	-254 mWh
	15:37:07	Active	0:00:00	-	-
	16:27:36	Active	0:07:53	3 %	993 mWh
	16:36:21	Active	0:00:38	-	127 mWh
	16:39:05	Active	1:28:05	23 %	7 669 mWh
	18:07:45	Connected standby	0:00:35	-	116 mWh
	18:08:20	Active	0:00:01	-	-
	18:08:22	Connected standby	0:00:07	-	23 mWh
	18:08:29	Active	0:05:49	3 %	854 mWh
	18:14:18	Connected standby	0:00:00	-	-
	06:22:16	Active	0:16:11	6 %	2 067 mWh
	06:38:27	Connected standby	1:01:46	3 %	1 132 mWh
	07:40:49	Connected standby	0:00:35	-	104 mWh
	07:41:24	Active	0:53:15	24 %	7 923 mWh
	08:34:39	Connected standby	4:47:39	16 %	5 267 mWh
	13:22:54	Connected standby	0:00:35	-	-116 mWh
	13:23:29	Active	0:00:00	-	-
	14:06:25	Active	0:32:23	11 %	3 638 mWh
	14:38:48	Connected standby	1:26:57	5 %	1 663 mWh
	16:06:21	Connected standby	0:00:35	-	127 mWh
	16:06:56	Active	0:01:54	1 %	323 mWh
	16:08:50	Connected standby	0:00:00	-	-
	16:53:07	Connected standby	0:00:35	-	115 mWh
	16:53:42	Active	0:13:52	7 %	2 472 mWh
	17:07:34	Connected standby	0:00:00	-	-
	19:43:05	Connected standby	0:00:35	-	-243 mWh
	20:10:26	Active	0:06:24	3 %	1 132 mWh
	20:16:50	Connected standby	0:00:00	-	-
	06:01:48	Active	0:22:00	10 %	3 188 mWh
	06:29:20	Active	0:06:59	4 %	1 386 mWh
	06:36:19	Connected standby	0:44:22	3 %	936 mWh
	07:21:18	Connected standby	0:00:35	-	92 mWh
	07:21:53	Active	0:07:03	4 %	1 259 mWh
	07:36:54	Active	1:13:53	32 %	10 510 mWh
	14:12:51	Active	0:36:31	13 %	4 239 mWh
	14:49:22	Connected standby	2:05:54	8 %	2 610 mWh
	16:55:53	Connected standby	0:00:35	1 %	173 mWh
	16:56:28	Active	0:56:16	22 %	6 826 mWh
	17:52:44	Connected standby	0:49:03	3 %	1 086 mWh
	18:42:24	Connected standby	0:00:35	-	127 mWh
	18:42:59	Active	1:05:16	31 %	9 899 mWh
	19:48:15	Connected standby	14:20:51	-	-25 676 mWh
	10:09:17	Connected standby	0:00:00	-	-
	10:09:53	Connected standby	0:00:00	-	-
	10:11:36	Active	0:02:01	-	-
	10:13:38	Connected standby	0:01:22	-	-
	10:15:01	Active	0:04:07	-	-

Usage history

History of system usage on AC and battery

	BATTERY DURATION		AC DURATION	
PERIOD	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2023-01-02 - 2023-01-09	32:51:03	5:05:04	30:35:08	6:21:21
2023-01-09 - 2023-01-16	46:38:43	12:03:35	45:59:18	8:05:08
2023-01-16 - 2023-01-23	10:19:46	1:48:09	17:36:15	6:29:00
2023-01-23 - 2023-01-30	23:09:31	2:03:14	30:33:56	20:14:40
2023-01-30 - 2023-02-06	36:34:07	9:11:47	46:25:56	20:36:34
2023-02-06 - 2023-02-13	50:48:25	10:18:26	62:41:33	22:32:17
2023-02-13 - 2023-02-20	12:32:00	12:05:13	19:59:40	0:30:46
2023-02-20 - 2023-02-27	22:48:49	13:07:32	36:22:45	9:30:49
2023-02-27 - 2023-03-06	12:41:50	0:49:40	21:19:10	0:21:46
2023-03-06 - 2023-03-13	18:09:49	0:11:20	12:21:02	8:14:28
2023-03-13 - 2023-03-20	12:28:19	2:02:40	21:27:52	0:51:12
2023-03-20 - 2023-03-27	13:51:31	0:12:17	18:58:29	0:29:05
2023-03-27 - 2023-04-03	14:26:13	1:18:22	21:16:20	0:16:40
2023-04-03 - 2023-04-10	17:26:10	1:26:30	22:20:56	0:07:30
2023-04-10 - 2023-04-17	14:57:34	1:20:31	16:48:53	0:21:27
2023-04-17 - 2023-04-24	9:35:52	0:07:46	12:23:07	0:07:10
2023-04-24 - 2023-05-01	19:16:06	1:11:50	19:46:13	0:04:09
2023-05-01 - 2023-05-08	6:41:45	0:14:16	10:27:08	0:03:05
2023-05-08 - 2023-07-10	132:51:29	5:43:51	173:20:39	1:31:30
2023-07-10 - 2023-09-11	78:41:20	10:40:19	112:44:20	0:49:05
2023-09-11 - 2023-10-09	75:38:42	2:46:51	62:30:07	4:38:50
2023-10-09 - 2023-12-25	86:51:02	5:29:46	101:13:48	8:48:41
2023-12-25 - 2024-01-08	35:29:42	1:33:24	27:53:19	0:10:45
2024-01-08 - 2024-04-01	110:55:23	6:30:47	91:41:44	0:42:19
2024-04-01 - 2024-04-08	22:34:23	0:58:40	15:45:56	0:00:35
2024-04-08 - 2024-04-15	17:44:53	0:09:37	7:28:04	0:05:15
2024-04-15 - 2024-04-22	25:13:26	2:48:52	16:06:24	0:47:14
2024-04-22 - 2024-04-29	34:53:48	3:20:58	25:18:58	2:03:22
2024-04-29 - 2024-05-06	8:40:00	0:30:19	10:21:15	0:54:46
2024-05-06 - 2024-05-13	20:29:57	0:50:58	20:06:19	0:57:06
2024-05-13 - 2024-05-20	35:23:27	1:15:40	31:37:09	1:06:09
2024-05-20 - 2024-05-27	56:37:28	1:32:50	46:22:16	1:09:05
2024-05-27 - 2024-06-03	67:58:05	1:48:56	68:31:58	1:31:36
2024-06-03 - 2024-06-10	72:44:34	2:00:59	77:09:03	1:39:37
2024-06-10 - 2024-06-17	78:49:09	2:09:53	87:50:18	1:51:52
2024-06-17 - 2024-06-24	14:04:43	11:33:57	12:30:03	0:02:23
2024-06-24 - 2024-07-01	7:24:56	0:15:11	9:51:52	0:07:48
2024-07-01 - 2024-07-15	18:54:35	13:12:17	19:15:51	1:18:28
2024-07-15 - 2024-07-22	16:12:11	1:25:01	10:34:49	0:01:46
2024-07-22 - 2024-07-29	10:51:36	0:19:27	8:49:18	0:01:10
2024-07-29 - 2024-08-05	10:55:49	0:26:42	9:09:51	0:02:16
2024-08-05 - 2024-08-12	13:31:01	0:23:29	10:37:41	0:01:45
2024-08-12 - 2024-08-19	18:29:21	0:38:19	12:54:23	0:01:46
2024-08-19 - 2024-08-26	12:41:42	0:30:41	9:20:12	0:04:04
2024-08-26 - 2024-09-02	10:55:11	0:15:55	8:26:39	0:02:24
2024-09-02 - 2024-09-09	8:58:58	0:40:06	7:35:22	0:04:06
2024-09-09 - 2024-09-16	20:32:04	13:17:41	7:13:41	0:29:16
2024-09-16 - 2024-09-23	32:56:20	13:44:10	15:41:26	0:32:47
2024-09-23 - 2024-09-30	43:42:24	14:27:56	24:03:22	0:38:39
2024-09-30 - 2024-10-07	9:31:11	0:14:27	6:57:42	0:05:03
2024-10-07 - 2024-10-14	117:42:45	56:19:04	72:18:23	1:06:35
2024-10-14 - 2024-10-21	9:09:41	44:40:32	8:01:43	0:05:18
2024-10-21 - 2024-10-28	6:45:16	15:13:04	4:01:23	0:01:09
2024-10-28 - 2024-11-04	11:25:21	4:13:13	7:34:57	0:04:08
2024-11-04 - 2024-11-11	17:55:30	0:53:45	11:44:36	0:03:48
2024-11-11 - 2024-11-18	19:19:11	2:33:02	14:50:06	1:45:43
2024-11-18 - 2024-11-25	11:45:22	10:22:55	8:15:04	0:14:24
2024-11-25 - 2024-12-02	11:03:34	27:49:25	10:30:20	3:22:48
2024-12-02 - 2024-12-09	22:28:40	35:50:41	14:03:25	9:36:31
2024-12-09 - 2024-12-16	17:29:06	44:01:04	10:02:05	8:28:32
2024-12-16	8:05:15	6:46:38	3:34:17	0:00:35
2024-12-17	4:17:05	2:23:25	2:15:23	0:41:26
2024-12-18	5:15:13	4:42:56	2:20:32	-
2024-12-19	7:30:09	6:50:18	3:29:26	0:00:35
2024-12-20	6:35:54	10:53:37	4:22:12	1:19:35
2024-12-21	5:38:04	8:58:26	2:16:56	0:00:35
2024-12-22	2:03:58	7:19:17	1:46:21	0:00:35
2024-12-23	4:27:56	7:52:48	0:19:12	0:00:35

Battery capacity history

Charge capacity history of the system's batteries

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2023-01-02 - 2023-01-09	41 417 mWh	41 417 mWh
2023-01-09 - 2023-01-16	41 375 mWh	41 375 mWh
2023-01-16 - 2023-01-23	41 923 mWh	41 923 mWh
2023-01-23 - 2023-01-30	41 897 mWh	41 897 mWh
2023-01-30 - 2023-02-06	41 373 mWh	41 373 mWh
2023-02-06 - 2023-02-13	40 934 mWh	40 934 mWh
2023-02-13 - 2023-02-20	40 113 mWh	40 113 mWh
2023-02-20 - 2023-02-27	40 115 mWh	40 115 mWh
2023-02-27 - 2023-03-06	40 247 mWh	40 247 mWh
2023-03-06 - 2023-03-13	40 031 mWh	40 031 mWh
2023-03-13 - 2023-03-20	40 044 mWh	40 044 mWh
2023-03-20 - 2023-03-27	39 648 mWh	39 648 mWh
2023-03-27 - 2023-04-03	39 942 mWh	39 942 mWh
2023-04-03 - 2023-04-10	39 769 mWh	39 769 mWh
2023-04-10 - 2023-04-17	39 692 mWh	39 692 mWh
2023-04-17 - 2023-04-24	39 255 mWh	39 255 mWh
2023-04-24 - 2023-05-01	38 766 mWh	38 766 mWh
2023-05-01 - 2023-05-08	37 630 mWh	37 630 mWh
2023-05-08 - 2023-07-10	37 039 mWh	37 039 mWh
2023-07-10 - 2023-09-11	33 919 mWh	33 919 mWh
2023-09-11 - 2023-10-09	33 762 mWh	33 762 mWh
2023-10-09 - 2023-12-25	33 903 mWh	33 903 mWh
2023-12-25 - 2024-01-08	34 054 mWh	34 054 mWh
2024-01-08 - 2024-04-01	33 684 mWh	33 684 mWh
2024-04-01 - 2024-04-08	32 697 mWh	32 697 mWh
2024-04-08 - 2024-04-15	31 832 mWh	31 832 mWh
2024-04-15 - 2024-04-22	30 604 mWh	30 604 mWh
2024-04-22 - 2024-04-29	31 504 mWh	31 504 mWh
2024-04-29 - 2024-05-06	33 786 mWh	33 786 mWh
2024-05-06 - 2024-05-13	34 009 mWh	34 009 mWh
2024-05-13 - 2024-05-20	34 078 mWh	34 078 mWh
2024-05-20 - 2024-05-27	33 791 mWh	33 791 mWh
2024-05-27 - 2024-06-03	33 566 mWh	33 566 mWh
2024-06-03 - 2024-06-10	33 383 mWh	33 383 mWh
2024-06-10 - 2024-06-17	32 845 mWh	32 845 mWh
2024-06-17 - 2024-06-24	33 643 mWh	33 643 mWh
2024-06-24 - 2024-07-01	33 851 mWh	33 851 mWh
2024-07-01 - 2024-07-15	33 250 mWh	33 250 mWh
2024-07-15 - 2024-07-22	34 476 mWh	34 476 mWh
2024-07-22 - 2024-07-29	34 477 mWh	34 477 mWh
2024-07-29 - 2024-08-05	33 878 mWh	33 878 mWh
2024-08-05 - 2024-08-12	34 268 mWh	34 268 mWh
2024-08-12 - 2024-08-19	33 407 mWh	33 407 mWh
2024-08-19 - 2024-08-26	33 252 mWh	33 252 mWh
2024-08-26 - 2024-09-02	33 189 mWh	33 189 mWh
2024-09-02 - 2024-09-09	33 125 mWh	33 125 mWh
2024-09-09 - 2024-09-16	33 125 mWh	33 125 mWh
2024-09-16 - 2024-09-23	33 125 mWh	33 125 mWh
2024-09-23 - 2024-09-30	33 125 mWh	33 125 mWh
2024-09-30 - 2024-10-07	33 125 mWh	33 125 mWh
2024-10-07 - 2024-10-14	33 155 mWh	33 155 mWh
2024-10-14 - 2024-10-21	33 125 mWh	33 125 mWh
2024-10-21 - 2024-10-28	33 125 mWh	33 125 mWh
2024-10-28 - 2024-11-04	33 125 mWh	33 125 mWh
2024-11-04 - 2024-11-11	33 115 mWh	33 115 mWh
2024-11-11 - 2024-11-18	33 114 mWh	33 114 mWh
2024-11-18 - 2024-11-25	33 114 mWh	33 114 mWh
2024-11-25 - 2024-12-02	33 114 mWh	33 114 mWh
2024-12-02 - 2024-12-09	32 793 mWh	32 793 mWh
2024-12-09 - 2024-12-16	30 185 mWh	30 185 mWh
2024-12-16	29 544 mWh	29 544 mWh
2024-12-17	32 756 mWh	32 756 mWh
2024-12-18	32 756 mWh	32 756 mWh
2024-12-19	32 756 mWh	32 756 mWh
2024-12-20	33 088 mWh	33 088 mWh
2024-12-21	33 241 mWh	33 241 mWh
2024-12-22	33 241 mWh	33 241 mWh
2024-12-23	32 605 mWh	32 605 mWh

Battery life estimates

Battery life estimates based on observed drains

	AT FULL CHARGE		AT DESIGN CAPACITY	
PERIOD	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2023-01-02 - 2023-01-09	5:42:41	15:47:00 101 % / 16 h	5:42:41	15:47:00 101 % / 16 h
2023-01-09 - 2023-01-16	5:31:54	19:34:22 82 % / 16 h	5:31:54	19:34:22 82 % / 16 h
2023-01-16 - 2023-01-23	4:51:50	10:01:05 160 % / 16 h	4:51:50	10:01:05 160 % / 16 h
2023-01-23 - 2023-01-30	4:44:00	9:03:15 177 % / 16 h	4:44:00	9:03:15 177 % / 16 h
2023-01-30 - 2023-02-06	4:59:13	20:08:27 79 % / 16 h	4:59:13	20:08:27 79 % / 16 h
2023-02-06 - 2023-02-13	5:03:42	17:32:51 91 % / 16 h	5:03:42	17:32:51 91 % / 16 h
2023-02-13 - 2023-02-20	4:55:10	59:21:32 27 % / 16 h	4:55:10	59:21:32 27 % / 16 h
2023-02-20 - 2023-02-27	4:54:06	39:17:25 41 % / 16 h	4:54:06	39:17:25 41 % / 16 h
2023-02-27 - 2023-03-06	4:56:11	11:37:42 138 % / 16 h	4:56:11	11:37:42 138 % / 16 h
2023-03-06 - 2023-03-13	9:45:09	4:36:28 347 % / 16 h	9:45:09	4:36:28 347 % / 16 h
2023-03-13 - 2023-03-20	4:11:21	11:46:40 136 % / 16 h	4:11:21	11:46:40 136 % / 16 h
2023-03-20 - 2023-03-27	3:59:52	3:31:50 453 % / 16 h	3:59:52	3:31:50 453 % / 16 h
2023-03-27 - 2023-04-03	4:54:54	10:57:43 146 % / 16 h	4:54:54	10:57:43 146 % / 16 h
2023-04-03 - 2023-04-10	4:38:02	26:24:31 61 % / 16 h	4:38:02	26:24:31 61 % / 16 h
2023-04-10 - 2023-04-17	4:57:54	11:16:31 142 % / 16 h	4:57:54	11:16:31 142 % / 16 h
2023-04-17 - 2023-04-24	4:25:21	4:04:17 393 % / 16 h	4:25:21	4:04:17 393 % / 16 h
2023-04-24 - 2023-05-01	4:39:34	9:02:05 177 % / 16 h	4:39:34	9:02:05 177 % / 16 h
2023-05-01 - 2023-05-08	2:57:43	4:41:48 341 % / 16 h	2:57:43	4:41:48 341 % / 16 h
2023-05-08 - 2023-07-10	2:48:08	11:29:43 139 % / 16 h	2:48:08	11:29:43 139 % / 16 h
2023-07-10 - 2023-09-11	3:13:25	14:43:14 109 % / 16 h	3:13:25	14:43:14 109 % / 16 h
2023-09-11 - 2023-10-09	3:42:57	7:01:06 228 % / 16 h	3:42:57	7:01:06 228 % / 16 h
2023-10-09 - 2023-12-25	4:05:38	9:22:10 171 % / 16 h	4:05:38	9:22:10 171 % / 16 h
2023-12-25 - 2024-01-08	3:55:04	8:15:58 194 % / 16 h	3:55:04	8:15:58 194 % / 16 h
2024-01-08 - 2024-04-01	3:58:35	7:55:08 202 % / 16 h	3:58:35	7:55:08 202 % / 16 h
2024-04-01 - 2024-04-08	3:46:08	4:45:52 336 % / 16 h	3:46:08	4:45:52 336 % / 16 h
2024-04-08 - 2024-04-15	8:03:59	3:50:30 416 % / 16 h	8:03:59	3:50:30 416 % / 16 h
2024-04-15 - 2024-04-22	5:45:50	8:12:59 195 % / 16 h	5:45:50	8:12:59 195 % / 16 h
2024-04-22 - 2024-04-29	4:55:55	6:33:00 244 % / 16 h	4:55:55	6:33:00 244 % / 16 h
2024-04-29 - 2024-05-06	3:55:38	4:57:34 323 % / 16 h	3:55:38	4:57:34 323 % / 16 h
2024-05-06 - 2024-05-13	3:57:53	4:10:59 382 % / 16 h	3:57:53	4:10:59 382 % / 16 h
2024-05-13 - 2024-05-20	4:04:10	4:36:56 347 % / 16 h	4:04:10	4:36:56 347 % / 16 h
2024-05-20 - 2024-05-27	4:06:20	4:42:53 339 % / 16 h	4:06:20	4:42:53 339 % / 16 h
2024-05-27 - 2024-06-03	3:59:59	4:28:40 357 % / 16 h	3:59:59	4:28:40 357 % / 16 h
2024-06-03 - 2024-06-10	3:57:48	4:41:29 341 % / 16 h	3:57:48	4:41:29 341 % / 16 h
2024-06-10 - 2024-06-17	3:54:12	4:40:09 343 % / 16 h	3:54:12	4:40:09 343 % / 16 h
2024-06-17 - 2024-06-24	4:16:47	30:22:57 53 % / 16 h	4:16:47	30:22:57 53 % / 16 h
2024-06-24 - 2024-07-01	4:07:21	5:39:42 283 % / 16 h	4:07:21	5:39:42 283 % / 16 h
2024-07-01 - 2024-07-15	4:15:45	25:26:37 63 % / 16 h	4:15:45	25:26:37 63 % / 16 h
2024-07-15 - 2024-07-22	4:05:31	6:03:36 264 % / 16 h	4:05:31	6:03:36 264 % / 16 h
2024-07-22 - 2024-07-29	4:45:39	7:47:57 205 % / 16 h	4:45:39	7:47:57 205 % / 16 h
2024-07-29 - 2024-08-05	3:54:26	13:53:40 115 % / 16 h	3:54:26	13:53:40 115 % / 16 h
2024-08-05 - 2024-08-12	3:37:44	5:22:39 298 % / 16 h	3:37:44	5:22:39 298 % / 16 h
2024-08-12 - 2024-08-19	3:32:53	2:57:35 541 % / 16 h	3:32:53	2:57:35 541 % / 16 h
2024-08-19 - 2024-08-26	3:49:11	4:17:11 373 % / 16 h	3:49:11	4:17:11 373 % / 16 h
2024-08-26 - 2024-09-02	3:54:22	3:45:10 426 % / 16 h	3:54:22	3:45:10 426 % / 16 h
2024-09-02 - 2024-09-09	3:59:56	6:44:50 237 % / 16 h	3:59:56	6:44:50 237 % / 16 h
2024-09-09 - 2024-09-16	8:13:35	52:31:15 30 % / 16 h	8:13:35	52:31:15 30 % / 16 h
2024-09-16 - 2024-09-23	6:16:20	42:35:01 38 % / 16 h	6:16:20	42:35:01 38 % / 16 h
2024-09-23 - 2024-09-30	5:36:05	33:53:32 47 % / 16 h	5:36:05	33:53:32 47 % / 16 h
2024-09-30 - 2024-10-07	4:00:51	7:12:23 222 % / 16 h	4:00:51	7:12:23 222 % / 16 h
2024-10-07 - 2024-10-14	4:45:10	34:57:52 46 % / 16 h	4:45:10	34:57:52 46 % / 16 h
2024-10-14 - 2024-10-21	4:02:19	59:01:21 27 % / 16 h	4:02:19	59:01:21 27 % / 16 h
2024-10-21 - 2024-10-28	4:14:17	56:27:41 28 % / 16 h	4:14:17	56:27:41 28 % / 16 h
2024-10-28 - 2024-11-04	3:46:17	23:46:15 67 % / 16 h	3:46:17	23:46:15 67 % / 16 h
2024-11-04 - 2024-11-11	3:06:55	6:34:55 243 % / 16 h	3:06:55	6:34:55 243 % / 16 h
2024-11-11 - 2024-11-18	2:54:21	12:23:54 129 % / 16 h	2:54:21	12:23:54 129 % / 16 h
2024-11-18 - 2024-11-25	3:12:51	28:08:16 57 % / 16 h	3:12:51	28:08:16 57 % / 16 h
2024-11-25 - 2024-12-02	3:37:21	23:27:45 68 % / 16 h	3:37:21	23:27:45 68 % / 16 h
2024-12-02 - 2024-12-09	3:56:29	40:19:32 40 % / 16 h	3:56:29	40:19:32 40 % / 16 h
2024-12-09 - 2024-12-16	3:46:44	46:44:47 34 % / 16 h	3:46:44	46:44:47 34 % / 16 h
2024-12-16	5:54:19	46:43:38 34 % / 16 h	5:54:19	46:43:38 34 % / 16 h
2024-12-17	3:26:46	31:13:51 51 % / 16 h	3:26:46	31:13:51 51 % / 16 h
2024-12-18	3:36:36	24:16:03 66 % / 16 h	3:36:36	24:16:03 66 % / 16 h
2024-12-19	3:42:54	174:18:58 9 % / 16 h	3:42:54	174:18:58 9 % / 16 h
2024-12-20	3:04:01	48:19:25 33 % / 16 h	3:04:01	48:19:25 33 % / 16 h
2024-12-21	4:03:33	54:51:17 29 % / 16 h	4:03:33	54:51:17 29 % / 16 h
2024-12-22	3:54:44	30:14:09 53 % / 16 h	3:54:44	30:14:09 53 % / 16 h
2024-12-23	3:54:09	-	3:54:09	-

Current estimate of battery life based on all observed drains since OS install

Since OS install	3:47:05	22:32:21 71 % / 16 h	3:47:05	22:32:21 71 % / 16 h